No.D.26016/2/2007-Genl.I Government of India Planning Commission

...

Yojana Bhawan, Sansad Marg, New Delhi.110001 Date:24.04.2007

То	
	M/s
Subject:	Quotations for SERVICE/ REPAIRS/ MAINTENANCE OF AMBASSADOR
-	ISZ./MPFI/Tata Indigo/ MARUTI Esteem, Zen, 800 /A.C/NON AC
	Cars.
Dear Sir,	
	Planning Commission invites sealed quotations for making a panel of
at least t	wo firms for SERVICE/ REPAIRS/ MAINTENANCE OF AMBASSADOR
ISZ./MPFI	/Tata Indigo/ MARUTI Esteem, Zen, 800 /A.C/NON AC Cars belonging
•	anning Commission. The instructions for tenderers are enclosed in
Annuxure-	-I. The prescribed proforma for the quotations alongwith the terms &
conditions	are enclosed in Annexure I and II respectively.

You are requested to submit your sealed quotations latest by 1st May, 2007 by 3.00 PM. The sealed quotations may either be sent by registered post to Under Secretary (GA), Room No. 410, Planning Commission, Yojana Bhavan, New Delhi or dropped in the tender box kept at Reception area of Yojana Bhavan by the stipulated date and time. The quotations will be opened on the same day i.e. 1st May, 2007 at 3.30PM in room No. 344, in the presence of such tenderers or their authorised representatives who may wish to be present.

Yours faithfully,

(Ravjit Singh) Under Secretary to the Govt. of India.

Government of India Planning Commission

• • •

<u>QUOTATIONS</u> FOR <u>SERVICE/</u> <u>REPAIRS/</u> <u>MAINTENANCE</u> <u>OF AMBASSADOR</u> <u>ISZ./MPFI/Tata Indigo/ MARUTI Esteem, Zen, 800 / A.C/NON AC Cars.</u>

INSTRUCTIONS TO TENDERES

- 1. Tenders in the prescribed form addressed to Under Secretary (Genl.I), Planning Commission should reach by 3.00PM on 1st May,2007.
- 2. Tenders will be opened at 3.30 PM on 1st May,2007.
- 3. The quotations should be accompanied by the following documents:
 - (a) Income Tax Clearance certificate for the current financial year.
 - (b) Earnest money of Rs. 30,000/- through Bank Draft drawn in favour of Pay & Accounts Officer, Planning Commission.
 - (c) A certificate from the competent authority in the State Govt. that the workshop is located in an authorised commercial area.
- 4. The successful tenderer (s) shall deposit a sum of Rs. 75,000/-(Rs. Seventy Five thousand only) as security deposit for the due and faithful fulfillment of the contractual obligations. For this purpose, he would be required to submit fixed deposit receipt from a commercial Bank and hypothecated to the Planning Commission. This security money shall be refunded on termination of the contract. In case, any penalty or any liability of any kind imposed on the firm on account of unsatisfactory services is not liquidated by the firm, the same shall be adjustable against the security deposit.
- 5. Any correction or over-writing in the tender is not permissible.
- 6. Every sheet of the tender document and terms and conditions should be duly signed and stamped by the proprietor of the firm.
- 7. Quotations should be furnished only in the prescribed proforma as in Annexure-I. Quotations furnished otherwise will not be accepted.

Terms & Conditions of the Contract

- 1. The competent authority in Planning Commission reserves the right to reject all or any offer received without assigning any reason or to accept more than one offer.
- 2. The contract will be valid for a period of one year from the date of acceptance of the contract by the firm. The contract can be extended on request of the firm for a further period on its expiry to be decided at the time on the same terms and conditions subject to satisfactory performance by the workshop during the period of contract.
- **3.** In case the successful tenderer declines to accept the offer of contract, his earnest money would stand forfeited.
- **4.** A sum of Rs. 75,000/- shall be deposited as a performance security by the successful tenderer by way of a fixed deposit receipt hypothecated to the Planning Commission for the due fulfillment of the contract. In case a panel of Firms is kept, the total amount of performance security will be shared between the empanelled Firms according to their number.
- 5. The performance of the firm shall be reviewed after every three months. In case of any default in service or unsatisfactory performance the contract shall be terminated forthwith at any time without any notice or assigning any reason.
- **6.** Services/repairs will have to be carried out by successful tenderer urgently as and when required and minor jobs will have to be attended to on the same day.
- 7. After each servicing/repair, old parts, if any, will have to be returned to this Commission.
- **8.** Bills, preferably typed, in connection with service/repairs/maintenance of staff cars shall be submitted to this office immediately on completion of each work/job. However, the bills will be processed after observing the run of the vehicle for a period of 15 days.
- **9.** Bills for repair charges will include the cost of spare parts. If there is any abnormal delay in carrying our repairs or unsatisfactory performance of spare parts fixed in a vehicle, the Commission shall effect such reduction in the claim as it deems fit.
- **10.** Any repeat job/fault will be carried free of cost by the workshop, if the fault arises within six months/specific Kms runs for the job undertaken.
- **11.** Revision of rates will not be entertained during the period of contract.
- 12. The competent authority in Planning Commission reserves the right to delete the name of the contracting firm from the list of approved firms at any time and / or not to utilize its services, without giving any notice and assigning any reasons.

- **13.** In case of dispute of any kind regarding the contractual obligations of the contracting firm, the decision of the competent authority in Planning Commission shall be final.
- **14.** The cost of Spare parts shall be charged by the firm at the prevalent market rates.
- **15.** Only genuine spare parts shall be used and proper records/documents would be maintained/produced.
- **16.** The contract with the firm does not guarantee any award or repair/maintenance job of any of the staff car to the firm.
- 17. Although the repair/maintenance jobs will be given to the empanelled workshops in an equitable manner, however, the Planning Commission reserves the right to give repair/maintenance jobs at its discretion to any of the empanelled workshops on the basis of the approved rates. The decision of the Planning Commission in this regard will be final and binding.

.

QUOTATIONS FOR THE SERVICE/REPAIRS/ MAINTENANCE OF STAFF CARS, PLANNING COMMISSION, GOVERNMENT OF INDIA, NEW DELHI.

The Under Secretary (Gen.Admn.) Planning Commission, Yojana Bhavan, New Delhi.

Sir,

We hereby submit our quotations/rates of labour charges for service/ repairs/ maintenance of staff cars, viz., AMBASSADOR ISZ./MPFI/Tata Indigo/ MARUTI Esteem, Zen, 800 / A.C/NON AC Cars pertaining to your office, all-inclusive for each item of work, as indicated in Annexure.

- 2. We agree to undertake repairs as per details in Annexure at the rates indicated against each as and when required by the Planning Commission.
- 3. It is certified that:
 - i) Workshop has servicing facility.
 - ii) Workshop is equipped to supply the spares and other accessories at short notice.
 - iii) There is adequate parking space available with the workshop.
- 4. We also enclose certificates/ documents regarding our past performance with other Government departments/ offices.
- 5. We agree to maintain such records for documenting the repairs of the cars and preferring claims for payment as may be required or prescribed by the Planning Commission.
- 6. We accept the terms and conditions of the contract as given in Annexure II. We note that the Competent Authority in the Planning Commission reserves the right to reject all or any offer received without assigning any reason or to accept more than one offer.
- 7. We agree that in the event of any dispute of any kind regarding the contractual obligation of the firm, the decision of the competent authority in Planning Commission shall be final.
- 8. Income Tax clearance certificate and commercial area certificate are attached.
- 9. A bank draft of Rs.30,000/- bearing No. Dated....... from, branch in favour of Pay & Accounts Officer, Planning Commission is attached .

Yours faithfully,

Name: Full Address: Tele.No.: Stamp

Encls: Annexure

ITEMS OF SERVICE/REPAIRS SCHDULE OF SERVICE/ LABOUR CHARGES

SERVICING

S.N.	Description	TATA Indigo (Rs)	Amb ISZ / MPFI (Rs)	Maruti/ 800/Zen (Rs)	Maruti Esteem (Rs)
1.	Servicing and Lubrication only				
1A.	Servicing including RPM setting clutch adjust, change of fuel filter, tightening of nuts & bolt and fan belt adjustment.				
2.	Dry servicing &Lubrication				
3.	Greasing only				
4.	Rubbing and Polishing				
5.	Polishing only				
6.	Rubbing only				
7.	Replacing oil filter element and engine oil change				
8.	Top wash				
9.	Washing seats and doors only				
10.	Top and under washing only				
11.	Rubberising				
12.	Injector cleaning				
	<u> </u>	Fngino		<u> </u>	

Engine

S.N.	Description	TATA Indigo (Rs)	Amb ISZ / MPFI (Rs)	Maruti/ 800/Zen (Rs)	Maruti Esteem (Rs)
1.	Engine assy, removing and refitting				
1A.	Engine assy, removing and refitting with AC				
2.	Compression test				
3.	Engine Mounting Change				

3.	Cylinder head gasket remove and refit		
	including tappet adjustment		
4.	Replacing Cylinder head, valve grinding & top adjustment.		
5.	Decarbosising engine and tuning		
6.	Replacing piston rings or piston assly, checking connecting rod alignment and engine tuning.		
7.	Petrol engine overhaul or replace cylinder block including engine remove and refit.		
8.	Replacing cylinder block water jacket plugs (each) assy, removing extra as per items No.1		
8A.	Replacing cyl. Block water jacket Plug after removing timing belt		
9.	Replacing fly wheel ring gear		
10.	Replacing fly wheel ring gear with AC		
11.	Remaking carburetor butterfly		
12.	Adjusting tappets		
12A.	Grinding rocker arms.		
13.	Rocker shaft remove change part, and refit including tappet adjustment		
14.	Oil pressure relief valve remove cleaning, adjustment and refit.		
15.	Replacing half engine assy, and overhauling cylinder head (Recheck of half engine assy.)		
16.	Replacing and acceletor cable.		
17.	Replacing timing cover oil seal and Packing.		
18.	Oil pump remove and refit (+ item No.1		
18A	Pre chamber change		
19.	Replacing timing chain, gear and adjuster.		
19A.	Replacing timing chain with AC		
20.	Replace fan belt		

20A.	Replace fan belt with AC		
21.	Engine tuning including adjustment of Tappets & distributor C.B. point, spark plug cleaning, and fuel filter change and carburetor adjustment.		
22.	Replace engine back plate packing		
23.	Replace tappets (Push guides)		
23A.	Replace value Rocker Arm including Tappet Adjusting		
24	Fuel Pump Overhauling		
25	Fuel Pump Replacing		
26	Replacing Choke / Accelator Wire		
27	Replacing fuel pump gasket		
28	Carburetor cleaning & adjusting		
29	Distributor cleaning & adjustment		
30	Replacing distributor H.T. Cable		
31	Spark Plug cleaning, replacing & adjusting gaps		
32	Replacing manifold gasket		
33	Replacing engine front plate gasket		
33A	Replacing engine front plate gasket with AC		
34	Replacement cam shaft		
35	Atendint to oil not reaching rocker shaft		
36	Con. rod bearing remove, replace, adj. & refit without removing cr. shaft		
37	Main bearing remove/replace adj.		
38	Replace side cover packing		
39	Checking fuel average with one litre petrol extra		
40	Replacing water pump bearing		
41	Replacing crank shaft pulley		

42	Replacing crank shaft pulley with AC		
43	Oil pump removing, checking or replacing		
44	Replace water pump assy or gasket		
45	Replace engine foundation radiator		
46	Removing and refitting radiator		
47	Cleaning radiator after removing top bottom tanks		
48	Replace radiator hose pipe (each)		
49	Replace fan blade		
50	Replace oil pressure pipe		
51	Replace oil pressure benzo pipe		
52	Replacing tappet cover packing		
53	Replacing fuel filter		
54	Replacing spark plugs		
55	Replacing Carburetor O/H, setting engine RPM with Tachometer & spark plug clean		
56	RPM setting with Tachometer		
57	Radiator cleaning only		
58	Replacing water elbow		
59	Replacing Ignition coil		
60	Replacing front crank oil seal		
61	Replacing from plate gasket		
62	Replacing cam shaft oil seal		
63	Replacing pump oil seal		

64	A/C compressor remove & refit		
65	Oil filter leaking		
66	Fitting of coolant bottle		
67	Rear main oil leakage modification		

Brakes

S.N.	Description	TATA Indigo (Rs)	Amb ISZ / MPFI (Rs)	Maruti/ 800/Zen (Rs)	Maruti Esteem (Rs)
`	Adjust brake pedal				
2	Adjust hand brake				
3	Overhauling master cylinder, bleeding & adjustment of brakes				
4	Replace hand brake cable				
5	Overhaul front wheel cylinder & bleeding (each)				
6	Overhaul real wheel cylinder & bleeding (each)				
7	Overhaul all four wheel cylinders and bleeding & adjustment				
8	Replace front brake lining set/pads/callipar O/H				
9	Replace stop light switch				
10	Overhaul brake system				
11	Replace rear brake lining set				
12	Replace front and rear brake lining (complete set)				
13	Replace brake hose and bleeding (one)				
14	Bleeding complete system and adjusting brakes.				
15	Replace rear brake drums and adjust brakes				

16	Replace front brake drums and adjusting brakes		
17	Replace front brake pipe, bleeding and adjusting (metal pipe)		
18	Replace rear brake pipe bleeding & adjusting brakes		
19	Fitting power brakes, bleeding & adjusting brakes		
20	Replace brake booster		
21	Wash, clean and adjust brakes		
22	Replace front wheel oil seal (each)		
23	Replace Brake oil and bleeding brakes.		
24	Change hand brake level		
25	Replace master-cylinder assy		
26	Replace greasing front wheel bearings (both)		

CLUTCH

S.N.	Description	TATA Indigo (Rs)	Amb ISZ / MPFI (Rs)	Maruti/ 800/Zen (Rs)	Maruti Esteem (Rs)
1	Adjust clutch free travel				
2	Replace clutch and brake pedal shaft bushes				
3	Clutch overhaul				
4	Clutch O/H with AC				
5	Overhaul/Replace clutch plate assly/facing when engine assy is out				
6	Replace clutch adjusting rod				
7	Replace clutch carbon & bearing				
8	Replace pressure plate adjusting fingers				

9	Replace clutch housing cross		
	member		
10	Replace clutch housing		
	shaft/bush		
11	Replace clutch housing shaft		
	bush fitted with AC		
12.	Change clutch cable		
	_		

STEERING

S.N.	Description	TATA Indigo (Rs)	Amb ISZ / MPFI (Rs)	Maruti 800/Zen (Rs)	Maruti Esteem (Rs)
1	Remove & refit steering assy				
2	Replace steering wheel				
3	Steering O/H				
4	Replace top and bottom felt/column bush				
5	Replace steering boot (each) and set toe-in				
6	Replace tie rod end (each) and set (toe-in)				
7	Replace ball joint and set (toe- in) old model				
8	Replace ball joint and set toe-in (New Nova)				
9	Replace column boot				
10	Replace steering column bracket support assy				
11	Replace steering column outer				
12	Replace steering column tube				
13	Replace steering column bearing				
14	Welding steering support bracket (on chassis)				
15	Adjust steering				
16	Welding Front shocker plate (each)				

17	Welding rear shocket floor plate under petrol tank (petrol tank remove & refit)		
18	Replace steering coupling		
19	Replace steering lock		
20	Replace intermediate shaft		
21	Replace steering control rod		
22	Tyre balancing (each) weight extra		

POWER STEERING

S.N.	Description	TATA Indigo (Rs)	Amb ISZ / MPFI (Rs)	Maruti/ 800/Zen (Rs)	Maruti Esteem (Rs)
1	Replace Hyd. Pump hoses				
2	Replace Hyd. Pump				
3	Fitting new power steering				

SUSPENSION

S.N.	Description	TATA Indigo (Rs)	Amb ISZ / MPFI (Rs)	Maruti/ 800/Zen (Rs)	Maruti Esteem (Rs)
1	Complete front suspension O/H				
2	Front suspension adjustment				
3	Replace complete rubber bush kit (font & rear) with wheel alignment				
4	Replace tie bar bush/jumping rod bush (one side)				
5	Replace tie bar bush/jumping rod bush (one side)				
6	Remove one shock absorber and replace worn out bush (each)				
7	Replace rear suspension bushes				
8	Re-cambering both rear spring fitting extra leaf				

Remove and refit front wheel oil				
Remove and refit front wheel oil				
Replace torsion bar (one side)				
Replace rear road spring U bolt (each side)				
Resetting torsion bar height (each)				
Checking and resetting camber caster & toe-in				
Replace front suspension spring (each)				
Replace front stabilizer bar				
Replace stabilizer link (each)				
Adjusting tow-in				
Replace upper arm ball joint (each)				
Replace lower arm ball joint				
Replace rear upper arm bushes				
Replace front suspension lower arm (one side)				
Replace panther road				
Replace rear lower arm				
Replace upper arm				
Adjust front height with spacers				
Adjust rear height with spacers				
	seal/bearing (one side) Remove and refit front wheel oil seal/bearing (both side) Replace torsion bar (one side) Replace rear road spring U bolt (each side) Resetting torsion bar height (each) Checking and resetting camber caster & toe-in Replace front suspension spring (each) Replace stabilizer link (each) Adjusting tow-in Replace upper arm ball joint (each) Replace lower arm ball joint Replace rear upper arm bushes Replace front suspension lower arm (one side) Replace panther road Replace upper arm	Remove and refit front wheel oil seal/bearing (both side) Replace torsion bar (one side) Replace rear road spring U bolt (each side) Resetting torsion bar height (each) Checking and resetting camber caster & toe-in Replace front suspension spring (each) Replace stabilizer link (each) Adjusting tow-in Replace upper arm ball joint (each) Replace lower arm ball joint Replace rear upper arm bushes Replace panther road Replace panther road Replace upper arm Replace upper arm	seal/bearing (one side) Remove and refit front wheel oil seal/bearing (both side) Replace torsion bar (one side) Replace rear road spring U bolt (each side) Resetting torsion bar height (each) Checking and resetting camber caster & toe-in Replace front suspension spring (each) Replace front stabilizer bar Replace stabilizer link (each) Adjusting tow-in Replace upper arm ball joint (each) Replace lower arm ball joint Replace rear upper arm bushes Replace rear upper arm bushes Replace front suspension lower arm (one side) Replace panther road Replace upper arm Replace upper arm Adjust front height with spacers	seal/bearing (one side) Remove and refit front wheel oil seal/bearing (both side) Replace torsion bar (one side) Replace rear road spring U bolt (each side) Resetting torsion bar height (each) Checking and resetting camber caster & toe-in Replace front suspension spring (each) Replace stabilizer bar Replace stabilizer link (each) Adjusting tow-in Replace upper arm ball joint (each) Replace lower arm ball joint Replace rear upper arm bushes Replace front suspension lower arm (one side) Replace panther road Replace upper arm Replace upper arm Replace panther road Replace rear lower arm Replace upper arm

REAR AXLE

S.N.	Description	TATA Indigo (Rs)	Amb ISZ / MPFI (Rs)	Maruti/ 800/Zen (Rs)	Maruti Esteem (Rs)
1	Remove and refit rear axle assembly				
2	Differential overhauling				

3	Replace pinion oil seal and		
	torque pinion nut to specification		
4	Replace rear axle shaft (one		
	side)		
5	Replace differential gasket		
6	Replace rear axle shaft broken inside differential		
7	Replace rear axle bearing (one side)		
8	Replace rear axle oil seal (one side)		
9	Replace differential pins on Axle tube (each side)		
10	Replace rear brake drums		

PROPELLER SHAFT

S.N.	Description	TATA Indigo (Rs)	Amb ISZ / MPFI (Rs)	Maruti/ 800/Zen (Rs)
1	Remove and refit propeller shaft			
2	Propeller shaft O/H			
3	Propeller shaft U.J. change each			
4	Replace propeller shaft splined yoke			
5	Replace propeller shaft rubber coupling			

EXHAUST SYSTEM

S.N.	Description	TATA Indigo (Rs)	Amb ISZ / MPFI (Rs)	Maruti/ 800/Zen (Rs)	Maruti Esteem (Rs)
1	Remove and refit exhaust pipe front				
2	Attending to exhaust leakage from clamp to manifold				
3	Remove/refit new muffler & welding with pipe				
4	Remove / repair muffler assy & baffle plate (including welding)				
5	Replace tail pipe				
6	Replace silencer pipe bracket				

7	Re-aligning exhaust pipe assy		
8	Replacing complete silencer assy, muffler with tail pipe, front pipe		
9	Replacing rear silencer muffler		
10	Replacing bother muffler and U pipe		

FUEL TANK

S.N.	Description	TATA Indigo (Rs)	Amb ISZ / MPFI (Rs)	Maruti/ 800/Zen (Rs)	
1	Remove, clean and refit fuel tank				
2	Replace fuel tank gauge unit				
3	Replace petrol tank hardboard covered				
4	Replace fuel tank hose				
5	Replace petrol flexible pipe (each)				
6	Replace petrol flexible pipe new model				
7	Removing and refitting petrol tank main line				
8	Replace fuel filter				
9	Replace rear seat hard board				

GEAR BOX

S.N.	Description	TATA Indigo (Rs)	Amb ISZ / MPFI (Rs)	Maruti/ 800/Zen (Rs)	Maruti Esteem (Rs)
1	Gear box assy remove and refit				
2	Gear box assy overhaul				
3	Replace front oil seal				
4	Replace rear oil seal				
5	Replace side cover packing and seal				

6	Replace gear box foundations both				
7	Replace gear lever				
8	Replace gear linkage ball joint each				
9	Replace gear box cross member and aligning				
10	Replace gear box speedometer drive gear/seal				
11	Adjusting gear and linkage				
12	Replacing gear box packing				
13	Attending to vibration				
14	Replace gear box center cross member & re-aligning				
15	Covers ion to floor shift gear				
16	Overhaul gear plate				
17	Replace gear plate				
18	Replace steady bush (5 th mounting)				
19	Replace speedometer drive gear (inside gear box)				
20	Replace gear control rod or pivot bracket				
21	Replace gear lever raxine boot				
		ELEC	TRICAL	l	

ELECTRICAL

S.N.	Description	TATA Indigo (Rs)	Amb ISZ / MPFI (Rs)	Maruti/ 800/Zen (Rs)	Maruti Esteem (Rs)
1	Dynamo/alternator O/H				
2	Remove and refit dynamo/alternator pulley				
3	Remove & refit new dynamo/alternator pulley				
4	Re-adjusting regulator (cutout)				
5	Replace voltage regulator				
6	Testing and checking battery and re-charging				
7	Self starter overhaul				

8	Remove & refit self starter		
9	Replace horn		
10	Headlight focusing		
11	Dash board meters (each replacing cluster assy)		
12	Checking all lights (cluster remove & refit)		
13	Replace headlight bulb (each)		
14	Replace dash board bulb (each)		
15	Replace stop light switch		
16	Replace flashers unit/horn relay (each)		
17	Horn ring assy overhaul		
18	Change complete wiring		
19	Change front wiring		
20	Change rear wiring		
21	Change speedometer		
22	Tune up horn (each)		
23	Coolant system fitting		
24	Wiper spray system fitting (new)		
25	Replace speedometer cable		
26	Replace combination switch		
27	Replace H.L. beam		
28	Replace H.L. glass		
29	Replace tail light assy		
30	Replace tail light glass		
31	Change wiper blade one		
32	Door switch change		
33	Roof light assy change		

34	Fuse box change		
35	Horn pad change		
36	Horn relay change		
37	Solenoids switch change H.L. switch change		
38	H.L. switch change		
39	H.L. GLX new fitting with cutout	 _	
40	Replace wiper motor (DSL with AC)		

BODY

S.N.	Description	TATA Indigo (Rs)	Amb ISZ / MPFI (Rs)	Maruti/ 800/Zen (Rs)	Maruti Esteem (Rs)
1	Removing & replacing rear windscreen glass/rubber				
2	Removing & replacing front wind screen glass/rubber				
3	Removing, repair, adjusting and replacing door lock (each door)				
4	Removing, repairing, adjusting door handle (each) outer				
5	Door hinge pins replacing/repair each door and resetting				
6	Making front door hinge pin each door				
7	Removing/replacing & repairing/door glass winding machine (each)				
8	Removing/replacing door glass (each)				
9	Removing /replacing and repairing ventilator window quarter glass (each)				
10	Setting ventilator glass rubber				
11	Replace quarter ventilator glass (each)				
12	Replace door lock set				
13	Replace door channel set				

		T	1	1
14	Replace door bending set			
15	Replace door channel (one door)			
16	Replace door garnish beeding (one door)			
17	Replace door handle cup			
18	Remove roof lining and refitting			
19	Replace door rubber			
20	Replace bonnet hinge (each)			
21	Bonnet lock repairing, replacing and adjustment			
22	Dickey lock repairing			
23	Replacing dickey hinge (each)			
24	Re-chrome plating side piece each (without any dent)			
25	Front/rear bumper adjusting (one side)			
26	Replacing ventilator glass rear			
27	Re-chrome plating center piece			
28	Re-chrome plating front / rear bumper			
29	Padding of front seat			
30	Padding of rear seat			
31	Removing / refitting of new Rexene of front seat			
32	Replacing front fender (each)			
33	Replace door assembly front			
34	Replace door assembly rear			
35	Removing and replacing front grill			
36	Replacing glove box (each)	 		
37	Replacing complete floor and welding			

38	Front grill modification		
39	Replace running board and welding		
40	Remove and refitting dash board		
41	Replacing dickey weather strip		
42	Remove and refitting new rexine rear sear		
43	Remove and refit new rexine of each door		
44	Remove and refit of new hard board (each door)		
45	Remove and refit door hand set		
46	Replace front bumper assembly		
47	Replace rear bumper assembly		
48	Replace bonnet assembly and lock setting		
49	Replace rear fender		
50	Replace bumper side rubber		
51	Replace rear bumper center rubber		
52	Replace grill outer shell		
53	Replace bumper over rider (each)		
54	Re-chrome plating grill without any dent		
55	Replace front cross member		
56	Replace both longitudinal members		

PAINTING

S.N.	Description	TATA Indigo (Rs)	Amb ISZ / MPFI (Rs)	Maruti/ 800/Zen (Rs)	Maruti Esteem (Rs)
1	Complete painting				
2	Complete painting (sherry New-Red)				
3	Complete painting different colour (without any dent)				
4	Repainting each section wise				

	door, dicky, mudguard etc.		
5	Repainting each section wise door, dicky, mudguard (new sherry red)		
6	Complete painting (flash/outer body)		
7	Complete painting after scrapping old paint		
8	Repainting luggage carrier		
9	Repainting wheel rim		
10	Repainting sun shade		
11	Repainting roof		
12	Repainting bonnet		
13	Complete painting in acrylic colour		
14	Paint bumper fiber/DLX		

N	ame	•
T 4	uiii	٠

Full address:

Tele. No.

Stamp